



TUBES INOX

TUBES SANS SOUDURE "ASTM"

POUCES	SCHEDULE	DIMENSIONS mm	NF EN 10088-1		MASSE LINÉIQUE kg/m
			1.4307(AISI 304 L)	1.4404(AISI 316 L)	
1/8"	10 S	10,29 x 1,24	●	●	0,282
	40 S	10,29 x 1,73	●	●	0,372
	80 S	10,29 x 2,41	●	●	0,477
1/4"	10 S	13,72 x 1,65	●	●	0,501
	40 S	13,72 x 2,24	●	●	0,646
	80 S	13,72 x 3,02	●	●	0,812
3/8"	10 S	17,15 x 1,65	●	●	0,643
	40 S	17,15 x 2,31	●	●	0,862
	80 S	17,15 x 3,20	●	●	1,122
1/2"	10 S	21,34 x 2,11	●	●	1,020
	40 S	21,34 x 2,77	●	●	1,293
	80 S	21,34 x 3,73	●	●	1,651
	160 S	21,34 x 4,75	●	●	1,981
	XX S	21,34 x 7,47	●	●	2,604
3/4"	10 S	26,67 x 2,11	●	●	1,302
	40 S	26,67 x 2,87	●	●	1,717
	80 S	26,67 x 3,91	●	●	2,237
	160 S	26,67 x 5,54	●	●	2,942
	XX S	26,67 x 7,82	●	●	3,705
1"	10 S	33,40 x 2,77	●	●	2,132
	40 S	33,40 x 3,38	●	●	2,550
	80 S	33,40 x 4,55	●	●	3,299
	160 S	33,40 x 6,35	●	●	4,317
	XX S	33,40 x 9,09	●	●	5,554
1"1/4	10 S	42,16 x 2,77	●	●	2,742
	40 S	42,16 x 3,56	●	●	3,454
	80 S	42,16 x 4,85	●	●	4,548
	160 S	42,16 x 6,35	●	●	5,715
	XX S	42,16 x 9,70	●	●	7,913
1"1/2	10 S	48,26 x 2,77	●	●	3,167
	40 S	48,26 x 3,68	●	●	4,123
	80 S	48,26 x 5,08	●	●	5,513
	160 S	48,26 x 7,14	●	●	7,379
	XX S	48,26 x 10,16	●	●	9,929
2"	10 S	60,33 x 2,77	●	●	4,007
	40 S	60,33 x 3,91	●	●	5,544
	80 S	60,33 x 5,54	●	●	7,629
	160 S	60,33 x 8,71	●	●	11,300
	XX S	60,33 x 11,07	●	●	13,705



TUBES INOX

TUBES SANS SOUDURE "ASTM"

POUCES	SCHEDULE	DIMENSIONS mm	NF EN 10088-1		MASSE LINÉIQUE kg/m
			1.4307(AISI 304 L)	1.4404 (AISI316 L)	
2"1/2	10 S	73,03 x 3,05	●	●	5,364
	40 S	73,03 x 5,16	●	●	8,802
	80 S	73,03 x 7,01	●	●	11,631
	160 S	73,03 x 9,53	●	●	15,209
	XX S	73,03 x 14,02	●	●	20,793
3"	10 S	88,90 x 3,05	●	●	6,581
	40 S	88,90 x 5,49	●	●	11,509
	80 S	88,90 x 7,62	●	●	15,566
	160 S	88,90 x 11,13	●	●	21,754
	XX S	88,90 x 15,24	●	●	28,214
3"1/2	10 S	101,6 x 3,05	●	●	7,554
	40 S	101,6 x 5,74	●	●	13,829
	80 S	101,6 x 8,08	●	●	18,991
	XX S	101,6 x 16,15	●	●	34,684
4"	10 S	114,3 x 3,05	●	●	8,528
	40 S	114,3 x 6,02	●	●	16,383
	80 S	114,3 x 8,56	●	●	22,749
	160 S	114,3 x 13,49	●	●	34,179
	XX S	114,3 x 17,12	●	●	41,814
5"	10 S	141,3 x 3,40	●	●	11,784
	40 S	141,3 x 6,55	●	●	22,183
	80 S	141,3 x 9,53	●	●	31,561
	160 S	141,3 x 15,88	●	●	50,056
	XX S	141,3 x 19,05	●	●	58,531
6"	10 S	168,28 x 3,40	●	●	14,089
	40 S	168,28 x 7,11	●	●	28,800
	80 S	168,28 x 10,97	●	●	43,371
	160 S	168,28 x 18,24	●	●	68,782
	XX S	168,28 x 21,95	●	●	80,725
8"	40 S	219,1 x 8,18	●	●	43,362
	80 S	219,1 x 12,70	●	●	65,880
	160 S	219,1 x 23,01	●	●	113,400
10"	40 S	273,05 x 9,27	●	●	61,456
	80 S	273,05 x 12,70	●	●	83,100
	160 S	273,05 x 28,58	●	●	175,602
12"	40 S	323,85 x 9,53	●	●	75,285
	80 S	323,85 x 12,70	●	●	99,315
	160 S	323,85 x 33,32	●	●	243,297

Fabrication selon ASTM A 312

Longueur courante : 4 à 8 mètres
(pas de coupe)

● STOCK PERMANENT = 0

Gamme de produit en cours
de mise en stock

AUTRES DIMENSIONS, NOUS CONSULTER