



## TUBES INOX

### TUBES DE DÉCORATION ET DE CONSTRUCTION

#### TUBES RONDS

DIMENSIONS mm	NF EN 10088-1				MASSE LINÉIQUE kg/m
	1.4016(AISI 430)	1.4509	1.4301(AISI 304)	1.4404(AISI 316L)	
25 x 1	●		●		0,603
25 x 1,2	●		●		0,718
25 x 1,5	●	●	●		0,886
25 x 2			●		1,156
25 x 2,5			●		1,414
25 x 3			●		1,659
26,9 x 1,5			●		0,958
26,9 x 2			●		1,252
26,9 x 2,5			●		1,533
26,9 x 3			●		1,802
28 x 1	●		●		0,679
28 x 1,2			●		0,808
28 x 1,5			●		0,999
28 x 2			●		1,307
28 x 2,5			●		1,602
30 x 1			●		0,729
30 x 1,2	●		●		0,869
30 x 1,5		●	●		1,074
30 x 2			●		1,407
30 x 2,5			●		1,728
30 x 3			●		2,036
32 x 1	●●		●		0,779
32 x 1,2	●●		●		0,929
32 x 1,5	●		●		1,150
32 x 2	●●		●		1,508
32 x 2,5			●		1,854
32 x 3			●		2,187
33,7 x 1,5			●		1,214
33,7 x 1,6			●		1,291
33,7 x 2			●		1,593
33,7 x 2,5			●		1,960
33,7 x 3			●		2,315



# TUBES INOX

## TUBES DE DÉCORATION ET DE CONSTRUCTION

### TUBES RONDS

DIMENSIONS mm	NF EN 10088-1				MASSE LINÉIQUE kg/m
	1.4016(AISI 430)	1.4509	1.4301(AISI 304)	1.4404(AISI 316L)	
35 x 1			•		0,855
35 x 1,2	•		•		1,019
35 x 1,5	•		•		1,263
35 x 2			•		1,659
35 x 2,5			•		2,042
38 x 1			•		0,930
38 x 1,2			••		1,110
38 x 1,5	•	•	•		1,376
38 x 2			•		1,810
38 x 2,5			•		2,231
38 x 3			•		2,639
40 x 1			•		0,980
40 x 1,2			•		1,170
40 x 1,5	••	•	•		1,451
40 x 2			•		1,910
40 x 2,5			•		2,356
40 x 3			•		2,790
42,4 x 1,2			•		1,542
42,4 x 2			•		2,031
42,4 x 2,5			•		2,507
42,4 x 3			•		2,971
45 x 1,2			•		1,321
45 x 1,5			•		1,640
45 x 2			•		2,161
45 x 2,5			•		2,670
45 x 3			•		3,167
48,3 x 1,5			•		1,764
48,3 x 2			•		2,327
48,3 x 2,5			•		2,878
48,3 x 3			•		3,416
48,3 x 4			•		4,454
50 x 2		•			2,413



## TUBES INOX

### TUBES DE DÉCORATION ET DE CONSTRUCTION

#### TUBES RONDS

DIMENSIONS mm	NF EN 10088-1				MASSE LINÉIQUE kg/m
	1.4016(AISI 430)	1.4509	1.4301(AISI 304)	1.4404(AISI 316L)	
51 x 1			●		1,257
51 x 1,2			●		1,502
51 x 1,5			●		1,866
51 x 2			●		2,463
51 x 2,5			●		3,047
51 x 3			●		3,619
60,3 x 1,5			●		2,217
60,3 x 2		●	●		2,930
60,3 x 2,5			●		3,632
60,3 x 3			●		4,320
60,3 x 3,5			●		4,996
60,3 x 4			●		5,660
76,1 x 2			●		3,725
76,1 x 2,5			●		4,624
76,1 x 3			●		5,512
76,1 x 3,5			●		6,386
76,1 x 4			●		7,248
88,9 x 2			●		4,368
88,9 x 2,5			●		5,429
88,9 x 3			●		6,477
88,9 x 3,5			●		7,512
88,9 x 4			●		8,535
88,9 x 5			●		10,543
114,3 x 2			●		5,645
114,3 x 2,5			●		7,025
114,3 x 3			●		8,392
114,3 x 3,5			●		9,746
114,3 x 4			●		11,089
114,3 x 5			●		13,735

● STOCK PERMANENT

● STOCK PERMANENT TUBES POLIS

AUTRES DIMENSIONS, NOUS CONSULTER

Soudure HF ou TIG

Fabrication selon NF A 49-647

Longueur courante : 6 mètres (pas de coupe)



## TUBES INOX

### TUBES DE DÉCORATION ET DE CONSTRUCTION

#### TUBES CARRÉS

DIMENSIONS mm	NF EN 10088-1				MASSE LINÉIQUE kg/m
	1.4016(AISI 430)	1.4509	1.4301(AISI 304)	1.4404(AISI 316L)	
15 x 15 x 1		●	●		0,448
15 x 15 x 1,2			●		0,530
15 x 15 x 1,5			●		0,648
16 x 16 x 1		●	●		0,480
16 x 16 x 1,2			●		0,568
16 x 16 x 1,5			●		0,696
20 x 20 x 1		●	●		0,608
20 x 20 x 1,2	●	●	●●	●	0,722
20 x 20 x 1,5	●	●	●●	●	0,888
20 x 20 x 2			●	●	1,152
25 x 25 x 1		●	●	●	0,768
25 x 25 x 1,2	●	●	●●	●	0,914
25 x 25 x 1,5	●	●	●●	●	1,128
25 x 25 x 2			●	●	1,472
25 x 25 x 2,5			●		1,800
25 x 25 x 3			●		2,112
30 x 30 x 1		●	●		0,928
30 x 30 x 1,2	●	●	●●	●	1,106
30 x 30 x 1,5	●	●	●●	●	1,368
30 x 30 x 2		●	●	●	1,792
30 x 30 x 2,5			●		2,200
30 x 30 x 3			●	●	2,592
35 x 35 x 1			●		1,088
35 x 35 x 1,2	●●	●	●●	●	1,298
35 x 35 x 1,5	●	●	●●	●	1,608
35 x 35 x 2		●	●	●	2,112
35 x 35 x 3			●		3,072
40 x 40 x 1		●	●		1,248
40 x 40 x 1,2	●	●	●●	●	1,490
40 x 40 x 1,5	●	●	●●	●	1,848
40 x 40 x 2		●	●	●	2,432
40 x 40 x 2,5			●		3,000
40 x 40 x 3			●	●	3,552
40 x 40 x 4			●		4,608



## TUBES INOX

### TUBES DE DÉCORATION ET DE CONSTRUCTION

#### TUBES CARRÉS

DIMENSIONS mm	NF EN 10088-1				MASSE LINÉIQUE kg/m
	1.4016(AISI 430)	1.4509	1.4301(AISI 304)	1.4404(AISI 316L)	
50 x 50 x 1,2			●		1,873
50 x 50 x 1,5		●	●		2,328
50 x 50 x 2		●	●	●	3,072
50 x 50 x 2,5			●		3,800
50 x 50 x 3			●	●	4,512
50 x 50 x 4			●	●	5,888
50 x 50 x 5			●		7,200
60 x 60 x 1,5			●		2,808
60 x 60 x 2			●	●	3,712
60 x 60 x 2,5			●		4,600
60 x 60 x 3			●	●	5,472
60 x 60 x 4			●		7,168
60 x 60 x 5			●		8,800
70 x 70 x 2			●		4,352
70 x 70 x 3			●		6,432
70 x 70 x 4			●		8,448
70 x 70 x 5			●		10,400
80 x 80 x 2		●	●		4,992
80 x 80 x 2,5			●		6,200
80 x 80 x 3			●●	●	7,392
80 x 80 x 4			●		9,728
80 x 80 x 5			●		12,000
100 x 100 x 2			●		6,272
100 x 100 x 2,5			●		7,800
100 x 100 x 3			●	●	9,312
100 x 100 x 4			●	●	12,288
100 x 100 x 5			●		15,200
120 x 120 x 3			●	●	11,232
120 x 120 x 4			●		14,848
120 x 120 x 6			●		18,400
150 x 150 x 3			●		14,112
150 x 150 x 4			●		18,688
150 x 150 x 5			●		23,200
200 x 200 x 3			●		18,912
200 x 200 x 4			●		25,088
200 x 200 x 5			●		31,200

● STOCK PERMANENT

●● STOCK PERMANENT TUBES POLIS

AUTRES DIMENSIONS, NOUS CONSULTER



## TUBES INOX

### TUBES DE DÉCORATION ET DE CONSTRUCTION

#### TUBES RECTANGULAIRES

DIMENSIONS mm	NF EN 10088-1				MASSE LINÉIQUE kg/m
	1.4016(AISI 430)	1.4509	1.4301(AISI 304)	1.4404(AISI 316L)	
20 x 10 x 1		●	●		0,448
20 x 10 x 1,2			●		0,530
20 x 10 x 1,5			●		0,648
25 x 15 x 1			●		0,608
25 x 15 x 1,2			●	●	0,722
25 x 15 x 1,5			●	●	0,888
25 x 15 x 2			●		1,152
30 x 10 x 1			●		0,608
30 x 10 x 1,2			●		0,722
30 x 10 x 1,5			●●		0,888
30 x 10 x 2			●		1,152
30 x 15 x 1		●	●		0,688
30 x 15 x 1,2			●●		0,818
30 x 15 x 1,5		●	●		1,008
30 x 15 x 2			●		1,312
30 x 20 x 1			●		0,768
30 x 20 x 1,2	●		●●	●	0,914
30 x 20 x 1,5		●	●	●	1,128
30 x 20 x 2			●		1,472
35 x 20 x 1			●		0,848
35 x 20 x 1,2	●		●●		1,010
35 x 20 x 1,5	●		●	●	1,248
35 x 20 x 2			●		1,632
40 x 10 x 1			●		0,768
40 x 10 x 1,2			●		0,914
40 x 10 x 1,5			●		1,128
40 x 10 x 2			●		1,472
40 x 15 x 1			●		0,848
40 x 15 x 1,2			●		1,010
40 x 15 x 1,5			●		1,248
40 x 15 x 2			●		1,632



## TUBES INOX

### TUBES DE DÉCORATION ET DE CONSTRUCTION

#### TUBES RECTANGULAIRES

DIMENSIONS mm	NF EN 10088-1				MASSE LINÉIQUE kg/m
	1.4016(AISI 430)	1.4509	1.4301(AISI 304)	1.4404(AISI 316L)	
40 x 20 x 1		•	•		0,928
40 x 20 x 1,2	•	•	••	•	1,106
40 x 20 x 1,5	••	•	••	•	1,368
40 x 20 x 2		•	•	•	1,792
40 x 20 x 3			•		2,592
40 x 25 x 1,5		•			1,728
40 x 27 x 1,2			•		1,240
40 x 27 x 1,5			•		1,536
40 x 30 x 1			•		1,088
40 x 30 x 1,2			•		1,298
40 x 30 x 1,5			•	•	1,608
40 x 30 x 2			•		2,112
40 x 30 x 3			•		3,072
50 x 20 x 1,5		•			1,608
50 x 25 x 1			•		1,168
50 x 25 x 1,2			•		1,394
50 x 25 x 1,5			••	•	1,728
50 x 25 x 2		•	•		2,272
50 x 25 x 3			•		3,312
50 x 30 x 1			•		1,248
50 x 30 x 1,2			••		1,490
50 x 30 x 1,5		•	••		1,848
50 x 30 x 2		•	••	•	2,432
50 x 30 x 2,5			•		3,000
50 x 30 x 3			•		3,552
60 x 20 x 1,5		•			1,848
60 x 30 x 1			•		1,408
60 x 30 x 1,2			•	•	1,682
60 x 30 x 1,5			••	••	2,088
60 x 30 x 2		•	•	•	2,752
60 x 30 x 2,5			•		3,400
60 x 30 x 3			•		4,032
60 x 40 x 1,5		•			2,328



# TUBES INOX

## TUBES DE DÉCORATION ET DE CONSTRUCTION

### TUBES RECTANGULAIRES

DIMENSIONS mm	NF EN 10088-1				MASSE LINÉIQUE kg/m
	1.4016(AISI 430)	1.4509	1.4301(AISI 304)	1.4404(AISI 316L)	
60 x 40 x 1,2			●		1,874
60 x 40 x 1,5			●	●	2,328
60 x 40 x 2			●	●	3,072
60 x 40 x 2,5			●		3,800
60 x 40 x 3			●		4,512
60 x 40 x 4			●		5,888
80 x 40 x 1,5			●		2,808
80 x 40 x 2			●●	●	3,712
80 x 40 x 2,5			●		4,600
80 x 40 x 3			●		5,472
80 x 40 x 4			●		7,168
80 x 40 x 5			●		8,800
80 x 60 x 2			●		4,352
80 x 60 x 3			●●		6,432
80 x 60 x 4			●		8,448
80 x 60 x 5			●		10,400
100 x 40 x 1,5			●		3,288
100 x 40 x 2			●●		4,352
100 x 40 x 3			●●		6,432
100 x 40 x 4			●●		8,448
100 x 40 x 5			●		10,400
100 x 50 x 2			●	●	4,672
100 x 50 x 2,5			●		5,800
100 x 50 x 3			●	●	6,912
100 x 50 x 4			●		9,088
100 x 50 x 5			●		11,200
100 x 60 x 2			●		4,992
100 x 60 x 3			●		7,392
100 x 60 x 4			●		9,728
100 x 60 x 5			●		12,000



## TUBES INOX

### TUBES DE DÉCORATION ET DE CONSTRUCTION

#### TUBES RECTANGULAIRES

DIMENSIONS mm	NF EN 10088-1				MASSE LINÉIQUE kg/m
	1.4016(AISI 430)	1.4509	1.4301(AISI 304)	1.4404(AISI 316L)	
120 x 40 x 3			●		7,392
120 x 40 x 4			●		9,728
120 x 40 x 5			●		12,000
120 x 60 x 2			●		5,632
120 x 60 x 3			●		8,352
120 x 60 x 4			●		11,008
120 x 60 x 5			●		13,600
120 x 80 x 1,5			●		4,728
120 x 80 x 2			●		6,272
120 x 80 x 3			●		9,312
120 x 80 x 4			●		12,288
120 x 80 x 5			●		15,200
150 x 50 x 2			●		6,272
150 x 50 x 3			●		9,312
150 x 50 x 4			●		12,288
150 x 50 x 5			●		15,200
150 x 100 x 3			●		11,712
150 x 100 x 4			●		15,488
150 x 100 x 5			●		19,200
200 x 100 x 3			●		14,112
200 x 100 x 4			●		18,688
200 x 100 x 5			●		23,200
250 x 100 x 3			●		16,512
250 x 100 x 4			●		21,888
250 x 100 x 5			●		27,200

● STOCK PERMANENT

● STOCK PERMANENT TUBES POLIS  
AUTRES DIMENSIONS, NOUS CONSULTER

Soudure HF (TIG sur demande)

Fabrication selon NF A 49-647

**Longueur courante** : 6 mètres (pas de coupe)