

Barème d'extra d'alliage/Alloys

Applicable au 1er Janvier 2010/Valid as of

Norme européenne	Nuance Commerciale	AISI	€uro/KG	CHF/KG	SEK/KG	GBP/KG	USD/KG	USD/LBS
1.4571	1711MT	316TI	1,780	2,716	18,535	1,607	2,654	1,204
1.4310	177C	301	1,033	1,576	10,757	0,933	1,540	0,698
1.4310	177E	301	1,145	1,747	11,923	1,034	1,707	0,774
1.4306	1810L	304L	1,273	1,943	13,256	1,150	1,898	0,861
1.4541	1810T	321	1,273	1,943	13,256	1,150	1,898	0,861
1.4404	1811ML	316L	1,780	2,716	18,535	1,607	2,654	1,204
1.4303	1812D	305	1,537	2,345	16,005	1,388	2,292	1,039
1.4404	1812ML	316L	1,780	2,716	18,535	1,607	2,654	1,204
1.4435	1813MS	316L	2,024	3,089	21,076	1,828	3,018	1,369
1.4301	189D	304	1,133	1,729	11,798	1,023	1,689	0,766
1.4301	189DDQ	304	1,133	1,729	11,798	1,023	1,689	0,766
1.4301	189E	304	1,133	1,729	11,798	1,023	1,689	0,766
1.4307	189EL	304L	1,133	1,729	11,798	1,023	1,689	0,766
1.4307	189L	304L	1,133	1,729	11,798	1,023	1,689	0,766
1.4010	F17L	430L	0,307	0,468	3,197	0,277	0,458	0,208
1.4618	174MN	201.1	0,922	1,407	9,601	0,833	1,375	0,624
1.4006	MA1	410	0,255	0,389	2,655	0,230	0,380	0,172
1.4021	MA2	420	0,265	0,404	2,759	0,239	0,395	0,179
1.4028	MA3	420	0,265	0,404	2,759	0,239	0,395	0,179
1.4034	MA4		0,265	0,404	2,759	0,239	0,395	0,179
1.4828	R2012		1,519	2,318	15,817	1,372	2,265	1,027
1.4845	R2520	310S	2,252	3,437	23,450	2,034	3,358	1,523
1.4372	164MN	201	0,852	1,300	8,872	0,769	1,270	0,576
1.4526	F17MNB	436	0,700	1,068	7,289	0,632	1,044	0,473
1.4310	177A	301	1,033	1,576	10,757	0,933	1,540	0,698
1.4512	K09	409	0,244	0,372	2,541	0,220	0,364	0,165
1.4000	K10	410S	0,255	0,389	2,655	0,230	0,380	0,172
1.4016	K30	430	0,307	0,468	3,197	0,277	0,458	0,208
1.4017	K31		0,438	0,668	4,561	0,396	0,653	0,296
1.4113	K34X	434	0,471	0,719	4,905	0,425	0,702	0,318
1.4509	K41	441	0,434	0,662	4,519	0,392	0,647	0,293
1.4510	K39M	430Ti	0,314	0,479	3,270	0,284	0,468	0,212
1.4521	K44	444	0,728	1,111	7,581	0,657	1,085	0,492
1.4526	K36	436	0,700	1,068	7,289	0,632	1,044	0,473
1.4028	MA3H	420	0,265	0,404	2,759	0,239	0,395	0,179

Barème d'extra d'alliage/Alloys

Applicable au 1er Février 2010/Valid as of

Norme européenne	Nuance Commerciale	AISI	€uro/KG	CHF/KG	SEK/KG	GBP/KG	USD/KG	USD/LBS
1.4571	1711MT	316TI	2,196	3,292	22,513	1,961	3,228	1,464
1.4310	177C	301	1,219	1,827	12,497	1,089	1,792	0,813
1.4310	177E	301	1,379	2,067	14,138	1,231	2,027	0,919
1.4306	1810L	304L	1,512	2,266	15,501	1,350	2,223	1,008
1.4541	1810T	321	1,511	2,265	15,491	1,349	2,221	1,007
1.4404	1811ML	316L	2,197	3,293	22,524	1,962	3,230	1,465
1.4303	1812D	305	1,833	2,748	18,792	1,637	2,695	1,222
1.4404	1812ML	316L	2,197	3,293	22,524	1,962	3,230	1,465
1.4435	1813MS	316L	2,508	3,759	25,712	2,240	3,687	1,672
1.4301	189D	304	1,340	2,009	13,738	1,197	1,970	0,893
1.4301	189DDQ	304	1,340	2,009	13,738	1,197	1,970	0,893
1.4301	189E	304	1,340	2,009	13,738	1,197	1,970	0,893
1.4307	189EL	304L	1,340	2,009	13,738	1,197	1,970	0,893
1.4307	189L	304L	1,340	2,009	13,738	1,197	1,970	0,893
1.4010	F17L	430L	0,332	0,498	3,404	0,296	0,488	0,221
1.4618	174MN	201.1	1,066	1,598	10,929	0,952	1,567	0,711
1.4006	MA1	410	0,278	0,417	2,850	0,248	0,409	0,185
1.4021	MA2	420	0,289	0,433	2,963	0,258	0,425	0,193
1.4028	MA3	420	0,289	0,433	2,963	0,258	0,425	0,193
1.4034	MA4		0,289	0,433	2,963	0,258	0,425	0,193
1.4828	R2012		1,808	2,710	18,536	1,615	2,658	1,205
1.4845	R2520	310S	2,693	4,037	27,609	2,405	3,959	1,795
1.4372	164MN	201	0,988	1,481	10,129	0,882	1,452	0,658
1.4526	F17MNB	436	0,808	1,211	8,284	0,722	1,188	0,539
1.4310	177A	301	1,219	1,827	12,497	1,089	1,792	0,813
1.4512	K09	409	0,267	0,400	2,737	0,238	0,392	0,178
1.4000	K10	410S	0,278	0,417	2,850	0,248	0,409	0,185
1.4016	K30	430	0,332	0,498	3,404	0,296	0,488	0,221
1.4017	K31		0,492	0,738	5,044	0,439	0,723	0,328
1.4113	K34X	434	0,561	0,841	5,751	0,501	0,825	0,374
1.4509	K41	441	0,451	0,676	4,624	0,403	0,663	0,301
1.4510	K39M	430Ti	0,338	0,507	3,465	0,302	0,497	0,225
1.4521	K44	444	0,880	1,319	9,022	0,786	1,294	0,587
1.4526	K36	436	0,808	1,211	8,284	0,722	1,188	0,539
1.4028	MA3H	420	0,289	0,433	2,963	0,258	0,425	0,193

Barème d'extra d'alliage/*Alloys surcharge* *Tariff* Aciers Inoxydables de Precision/*Precision*

Applicable au 1er Mars 2010/*Valid as of March*

Norme européenne	Nuance Commerciale	AISI	€uro/KG	CHF/KG	SEK/KG	GBP/KG	USD/KG	USD/LBS
1.4571	1711MT	316TI	2,405	3,533	24,223	2,100	3,434	1,557
1.4310	177C	301	1,309	1,923	13,184	1,143	1,869	0,848
1.4310	177E	301	1,495	2,196	15,058	1,305	2,135	0,968
1.4306	1810L	304L	1,616	2,374	16,276	1,411	2,308	1,047
1.4541	1810T	321	1,615	2,372	16,266	1,410	2,306	1,046
1.4404	1811ML	316L	2,405	3,533	24,223	2,100	3,434	1,557
1.4303	1812D	305	1,957	2,875	19,711	1,708	2,795	1,268
1.4404	1812ML	316L	2,405	3,533	24,223	2,100	3,434	1,557
1.4435	1813MS	316L	2,749	4,038	27,688	2,400	3,926	1,780
1.4301	189D	304	1,434	2,107	14,443	1,252	2,048	0,929
1.4301	189DDQ	304	1,434	2,107	14,443	1,252	2,048	0,929
1.4301	189E	304	1,434	2,107	14,443	1,252	2,048	0,929
1.4307	189EL	304L	1,434	2,107	14,443	1,252	2,048	0,929
1.4307	189L	304L	1,434	2,107	14,443	1,252	2,048	0,929
1.4010	F17L	430L	0,368	0,541	3,706	0,321	0,526	0,239
1.4618	174MN	201.1	1,134	1,666	11,422	0,990	1,619	0,734
1.4006	MA1	410	0,314	0,461	3,163	0,274	0,448	0,203
1.4021	MA2	420	0,325	0,477	3,273	0,284	0,464	0,210
1.4028	MA3	420	0,325	0,477	3,273	0,284	0,464	0,210
1.4034	MA4		0,325	0,477	3,273	0,284	0,464	0,210
1.4828	R2012		1,930	2,835	19,439	1,685	2,756	1,250
1.4845	R2520	310S	2,863	4,206	28,836	2,499	4,088	1,854
1.4372	164MN	201	1,059	1,556	10,666	0,925	1,512	0,686
1.4526	F17MNB	436	0,919	1,350	9,256	0,802	1,312	0,595
1.4310	177A	301	1,309	1,923	13,184	1,143	1,869	0,848
1.4512	K09	409	0,303	0,445	3,052	0,265	0,433	0,196
1.4000	K10	410S	0,314	0,461	3,163	0,274	0,448	0,203
1.4016	K30	430	0,368	0,541	3,706	0,321	0,526	0,239
1.4017	K31		0,538	0,790	5,419	0,470	0,768	0,348
1.4113	K34X	434	0,639	0,939	6,436	0,558	0,912	0,414
1.4509	K41	441	0,500	0,735	5,036	0,437	0,714	0,324
1.4510	K39M	430Ti	0,376	0,552	3,787	0,328	0,537	0,244
1.4521	K44	444	1,009	1,482	10,163	0,881	1,441	0,653
1.4526	K36	436	0,919	1,350	9,256	0,802	1,312	0,595
1.4028	MA3H	420	0,325	0,477	3,273	0,284	0,464	0,210

Barème d'extra d'alliage/*Alloys surcharge* *Tariff* Aciers Inoxydables de Precision/*Precision*

Applicable au 1er Avril 2010/*Valid as of April*

Norme européenne	Nuance Commerciale	AISI	€uro/KG	CHF/KG	SEK/KG	GBP/KG	USD/KG	USD/LBS
1.4571	1711MT	316Ti	2,904	4,280	28,294	2,608	3,976	1,803
1.4310	177C	301	1,583	2,333	15,423	1,422	2,167	0,983
1.4310	177E	301	1,801	2,655	17,547	1,617	2,466	1,118
1.4306	1810L	304L	1,969	2,902	19,184	1,768	2,696	1,223
1.4541	1810T	321	1,968	2,901	19,174	1,767	2,694	1,222
1.4404	1811ML	316L	2,904	4,280	28,294	2,608	3,976	1,803
1.4303	1812D	305	2,394	3,529	23,325	2,150	3,277	1,486
1.4404	1812ML	316L	2,904	4,280	28,294	2,608	3,976	1,803
1.4435	1813MS	316L	3,323	4,898	32,376	2,984	4,549	2,063
1.4301	189D	304	1,741	2,566	16,963	1,563	2,383	1,081
1.4301	189DDQ	304	1,741	2,566	16,963	1,563	2,383	1,081
1.4301	189E	304	1,741	2,566	16,963	1,563	2,383	1,081
1.4307	189EL	304L	1,741	2,566	16,963	1,563	2,383	1,081
1.4307	189L	304L	1,741	2,566	16,963	1,563	2,383	1,081
1.4010	F17L	430L	0,401	0,591	3,907	0,360	0,549	0,249
1.4618	174MN	201.1	1,347	1,985	13,124	1,210	1,844	0,836
1.4006	MA1	410	0,338	0,498	3,293	0,304	0,463	0,210
1.4021	MA2	420	0,351	0,517	3,420	0,315	0,481	0,218
1.4028	MA3	420	0,351	0,517	3,420	0,315	0,481	0,218
1.4034	MA4		0,351	0,517	3,420	0,315	0,481	0,218
1.4828	R2012		2,360	3,479	22,993	2,119	3,231	1,465
1.4845	R2520	310S	3,526	5,197	34,354	3,166	4,827	2,189
1.4372	164MN	201	1,263	1,862	12,305	1,134	1,729	0,784
1.4526	F17MNB	436	1,002	1,477	9,762	0,900	1,372	0,622
1.4310	177A	301	1,583	2,333	15,423	1,422	2,167	0,983
1.4512	K09	409	0,326	0,481	3,176	0,293	0,446	0,202
1.4000	K10	410S	0,338	0,498	3,293	0,304	0,463	0,210
1.4016	K30	430	0,401	0,591	3,907	0,360	0,549	0,249
1.4017	K31		0,614	0,905	5,982	0,551	0,841	0,381
1.4113	K34X	434	0,717	1,057	6,986	0,644	0,982	0,445
1.4509	K41	441	0,521	0,768	5,076	0,468	0,713	0,323
1.4510	K39M	430Ti	0,410	0,604	3,995	0,368	0,561	0,254
1.4521	K44	444	1,124	1,657	10,951	1,009	1,539	0,698
1.4526	K36	436	1,002	1,477	9,762	0,900	1,372	0,622
1.4028	MA3H	420	0,351	0,517	3,420	0,315	0,481	0,218

Barème d'extra d'alliage/*Alloys surcharge* *Tariff* Aciers Inoxydables de Precision/*Precision*

Applicable au 1er Mai 2010/Valid as of May 1st,

Norme européenne	Nuance Commerciale	AISI	€uro/KG	CHF/KG	SEK/KG	GBP/KG	USD/KG	USD/LBS
1.4571	1711MT	316TI	3,450	5,006	33,503	3,057	4,682	2,123
1.4310	177C	301	1,962	2,847	19,053	1,738	2,662	1,207
1.4310	177E	301	2,189	3,176	21,257	1,939	2,970	1,347
1.4306	1810L	304L	2,435	3,533	23,646	2,157	3,304	1,498
1.4541	1810T	321	2,434	3,532	23,637	2,157	3,303	1,498
1.4404	1811ML	316L	3,451	5,007	33,513	3,058	4,683	2,124
1.4303	1812D	305	2,955	4,288	28,696	2,618	4,010	1,819
1.4404	1812ML	316L	3,451	5,007	33,513	3,058	4,683	2,124
1.4435	1813MS	316L	3,936	5,711	38,222	3,487	5,341	2,422
1.4301	189D	304	2,156	3,128	20,937	1,910	2,926	1,327
1.4301	189DDQ	304	2,156	3,128	20,937	1,910	2,926	1,327
1.4301	189E	304	2,156	3,128	20,937	1,910	2,926	1,327
1.4307	189EL	304L	2,156	3,128	20,937	1,910	2,926	1,327
1.4307	189L	304L	2,156	3,128	20,937	1,910	2,926	1,327
1.4010	F17L	430L	0,522	0,757	5,069	0,462	0,708	0,321
1.4618	174MN	201.1	1,658	2,406	16,101	1,469	2,250	1,020
1.4462	DX2205		2,474	3,590	24,025	2,192	3,357	1,522
1.4006	MA1	410	0,436	0,633	4,234	0,386	0,592	0,268
1.4021	MA2	420	0,453	0,657	4,399	0,401	0,615	0,279
1.4028	MA3	420	0,453	0,657	4,399	0,401	0,615	0,279
1.4034	MA4		0,453	0,657	4,399	0,401	0,615	0,279
1.4828	R2012		2,916	4,231	28,317	2,584	3,957	1,794
1.4845	R2520	310S	4,347	6,307	42,214	3,851	5,899	2,675
1.4372	164MN	201	1,567	2,274	15,217	1,388	2,126	0,964
1.4526	F17MNB	436	1,158	1,680	11,245	1,026	1,571	0,712
1.4310	177A	301	1,962	2,847	19,053	1,738	2,662	1,207
1.4512	K09	409	0,417	0,605	4,049	0,369	0,566	0,257
1.4000	K10	410S	0,436	0,633	4,234	0,386	0,592	0,268
1.4016	K30	430	0,522	0,757	5,069	0,462	0,708	0,321
1.4017	K31		0,781	1,133	7,584	0,692	1,060	0,481
1.4113	K34X	434	0,852	1,236	8,274	0,755	1,156	0,524
1.4509	K41	441	0,645	0,936	6,264	0,571	0,875	0,397
1.4510	K39M	430Ti	0,532	0,772	5,166	0,471	0,722	0,327
1.4521	K44	444	1,279	1,856	12,420	1,133	1,736	0,787
1.4526	K36	436	1,158	1,680	11,245	1,026	1,571	0,712
1.4028	MA3H	420	0,453	0,657	4,399	0,401	0,615	0,279

Barème d'extra d'alliage/*Alloys surcharge* *Tariff* Aciers Inoxydables de Precision/*Precision*

Applicable au 1er Juin 2010/Valid as of June

Norme européenne	Nuance Commerciale	AISI	€uro/KG	CHF/KG	SEK/KG	GBP/KG	USD/KG	USD/LBS
1.4571	1711MT	316TI	3,527	5,082	33,933	3,037	4,730	2,145
1.4310	177C	301	2,026	2,919	19,492	1,744	2,717	1,232
1.4310	177E	301	2,264	3,262	21,782	1,949	3,036	1,377
1.4306	1810L	304L	2,486	3,582	23,918	2,140	3,334	1,512
1.4541	1810T	321	2,485	3,581	23,908	2,140	3,332	1,511
1.4404	1811ML	316L	3,527	5,082	33,933	3,037	4,730	2,145
1.4303	1812D	305	2,995	4,316	28,815	2,579	4,016	1,821
1.4404	1812ML	316L	3,527	5,082	33,933	3,037	4,730	2,145
1.4435	1813MS	316L	4,009	5,777	38,571	3,452	5,376	2,438
1.4301	189D	304	2,216	3,193	21,320	1,908	2,972	1,348
1.4301	189DDQ	304	2,216	3,193	21,320	1,908	2,972	1,348
1.4301	189E	304	2,216	3,193	21,320	1,908	2,972	1,348
1.4307	189EL	304L	2,216	3,193	21,320	1,908	2,972	1,348
1.4307	189L	304L	2,216	3,193	21,320	1,908	2,972	1,348
1.4010	F17L	430L	0,636	0,916	6,119	0,548	0,853	0,387
1.4618	174MN	201.1	1,734	2,499	16,683	1,493	2,325	1,054
1.4462	DX2205		2,603	3,751	25,043	2,241	3,491	1,583
1.4006	MA1	410	0,542	0,781	5,215	0,467	0,727	0,330
1.4021	MA2	420	0,561	0,808	5,397	0,483	0,752	0,341
1.4028	MA3	420	0,561	0,808	5,397	0,483	0,752	0,341
1.4034	MA4		0,561	0,808	5,397	0,483	0,752	0,341
1.4828	R2012		2,954	4,257	28,420	2,543	3,961	1,796
1.4845	R2520	310S	4,353	6,273	41,880	3,748	5,837	2,647
1.4372	164MN	201	1,651	2,379	15,884	1,422	2,214	1,004
1.4526	F17MNB	436	1,305	1,881	12,555	1,124	1,750	0,794
1.4310	177A	301	2,026	2,919	19,492	1,744	2,717	1,232
1.4512	K09	409	0,523	0,754	5,032	0,450	0,701	0,318
1.4000	K10	410S	0,542	0,781	5,215	0,467	0,727	0,330
1.4016	K30	430	0,636	0,916	6,119	0,548	0,853	0,387
1.4017	K31		0,887	1,278	8,534	0,764	1,189	0,539
1.4113	K34X	434	0,981	1,414	9,438	0,845	1,316	0,597
1.4509	K41	441	0,763	1,099	7,341	0,657	1,023	0,464
1.4510	K39M	430Ti	0,648	0,934	6,234	0,558	0,869	0,394
1.4521	K44	444	1,426	2,055	13,720	1,228	1,912	0,867
1.4526	K36	436	1,305	1,881	12,555	1,124	1,750	0,794
1.4028	MA3H	420	0,561	0,808	5,397	0,483	0,752	0,000

Barème d'extra d'alliage/*Alloys surcharge* *Tariff* Aciers Inoxydables de Precision/*Precision*

Applicable au 1er Juillet 2010/*Valid as of July*

Norme européenne	Nuance Commerciale	AISI	€uro/KG	CHF/KG	SEK/KG	GBP/KG	USD/KG	USD/LBS
1.4571	1711MT	316TI	3,187	4,500	30,710	2,671	4,003	1,815
1.4310	177C	301	1,839	2,597	17,721	1,541	2,310	1,048
1.4310	177E	301	2,059	2,907	19,841	1,725	2,586	1,173
1.4306	1810L	304L	2,240	3,163	21,585	1,877	2,813	1,276
1.4541	1810T	321	2,239	3,161	21,575	1,876	2,812	1,275
1.4404	1811ML	316L	3,188	4,501	30,720	2,672	4,004	1,816
1.4303	1812D	305	2,683	3,788	25,853	2,248	3,370	1,528
1.4404	1812ML	316L	3,188	4,501	30,720	2,672	4,004	1,816
1.4435	1813MS	316L	3,614	5,103	34,825	3,029	4,539	2,058
1.4301	189D	304	2,006	2,832	19,330	1,681	2,520	1,143
1.4301	189DDQ	304	2,006	2,832	19,330	1,681	2,520	1,143
1.4301	189E	304	2,006	2,832	19,330	1,681	2,520	1,143
1.4307	189EL	304L	2,006	2,832	19,330	1,681	2,520	1,143
1.4307	189L	304L	2,006	2,832	19,330	1,681	2,520	1,143
1.4010	F17L	430L	0,648	0,915	6,244	0,543	0,814	0,369
1.4618	174MN	201.1	1,615	2,280	15,562	1,353	2,028	0,920
1.4462	DX2205		2,429	3,430	23,406	2,036	3,051	1,384
1.4006	MA1	410	0,545	0,770	5,252	0,457	0,685	0,311
1.4021	MA2	420	0,565	0,798	5,444	0,473	0,710	0,322
1.4028	MA3	420	0,565	0,798	5,444	0,473	0,710	0,322
1.4034	MA4		0,565	0,798	5,444	0,473	0,710	0,322
1.4828	R2012		2,650	3,742	25,535	2,221	3,328	1,509
1.4845	R2520	310S	3,877	5,474	37,359	3,249	4,870	2,209
1.4372	164MN	201	1,535	2,167	14,791	1,286	1,928	0,874
1.4526	F17MNB	436	1,286	1,816	12,392	1,078	1,615	0,732
1.4310	177A	301	1,839	2,597	17,721	1,541	2,310	1,048
1.4512	K09	409	0,523	0,738	5,040	0,438	0,657	0,298
1.4000	K10	410S	0,545	0,770	5,252	0,457	0,685	0,311
1.4016	K30	430	0,648	0,915	6,244	0,543	0,814	0,369
1.4017	K31		0,864	1,220	8,326	0,724	1,085	0,492
1.4113	K34X	434	0,969	1,368	9,337	0,812	1,217	0,552
1.4509	K41	441	0,773	1,091	7,449	0,648	0,971	0,440
1.4510	K39M	430Ti	0,660	0,932	6,360	0,553	0,829	0,376
1.4521	K44	444	1,391	1,964	13,404	1,166	1,747	0,792
1.4526	K36	436	1,286	1,816	12,392	1,078	1,615	0,732
1.4028	MA3H	420	0,565	0,798	5,444	0,473	0,710	0,322
	16-1MN		1,071	1,512	10,320	0,897	1,345	0,610

Barème d'extra d'alliage/*Alloys surcharge* *Tariff* Aciers Inoxydables de Precision/*Precision*

Applicable au 1er Août 2010/*Valid as of August*

Norme européenne	Nuance Commerciale	AISI	€uro/KG	CHF/KG	SEK/KG	GBP/KG	USD/KG	USD/LBS
1.4571	1711MT	316TI	2,983	4,036	28,410	2,479	3,642	1,652
1.4310	177C	301	1,717	2,323	16,353	1,427	2,096	0,951
1.4310	177E	301	1,927	2,607	18,353	1,601	2,353	1,067
1.4306	1810L	304L	2,089	2,826	19,896	1,736	2,551	1,157
1.4541	1810T	321	2,088	2,825	19,886	1,735	2,549	1,156
1.4404	1811ML	316L	2,984	4,037	28,420	2,480	3,643	1,652
1.4303	1812D	305	2,500	3,383	23,810	2,077	3,053	1,385
1.4404	1812ML	316L	2,984	4,037	28,420	2,480	3,643	1,652
1.4435	1813MS	316L	3,382	4,576	32,210	2,810	4,129	1,873
1.4301	189D	304	1,873	2,534	17,838	1,556	2,287	1,037
1.4301	189DDQ	304	1,873	2,534	17,838	1,556	2,287	1,037
1.4301	189E	304	1,873	2,534	17,838	1,556	2,287	1,037
1.4307	189EL	304L	1,873	2,534	17,838	1,556	2,287	1,037
1.4307	189L	304L	1,873	2,534	17,838	1,556	2,287	1,037
1.4010	F17L	430L	0,614	0,831	5,848	0,510	0,750	0,340
1.4618	174MN	201.1	1,522	2,059	14,496	1,265	1,858	0,843
1.4462	DX2205		2,284	3,090	21,753	1,898	2,789	1,265
1.4006	MA1	410	0,520	0,704	4,952	0,432	0,635	0,288
1.4021	MA2	420	0,539	0,729	5,133	0,448	0,658	0,298
1.4028	MA3	420	0,539	0,729	5,133	0,448	0,658	0,298
1.4034	MA4		0,539	0,729	5,133	0,448	0,658	0,298
1.4828	R2012		2,468	3,339	23,505	2,051	3,013	1,366
1.4845	R2520	310S	3,604	4,876	34,324	2,995	4,400	1,995
1.4372	164MN	201	1,444	1,954	13,753	1,200	1,763	0,800
1.4526	F17MNB	436	1,225	1,657	11,667	1,018	1,496	0,678
1.4310	177A	301	1,717	2,323	16,353	1,427	2,096	0,951
1.4512	K09	409	0,501	0,678	4,772	0,416	0,612	0,278
1.4000	K10	410S	0,520	0,704	4,952	0,432	0,635	0,288
1.4016	K30	430	0,614	0,831	5,848	0,510	0,750	0,340
1.4017	K31		0,814	1,101	7,753	0,676	0,994	0,451
1.4113	K34X	434	0,917	1,241	8,734	0,762	1,120	0,508
1.4509	K41	441	0,738	0,999	7,029	0,613	0,901	0,409
1.4510	K39M	430Ti	0,625	0,846	5,952	0,519	0,763	0,346
1.4521	K44	444	1,321	1,787	12,581	1,098	1,613	0,731
1.4526	K36	436	1,225	1,657	11,667	1,018	1,496	0,678
1.4028	MA3H	420	0,539	0,729	5,133	0,448	0,658	0,298
	16-1MN		1,019	1,379	9,705	0,847	1,244	0,564

Barème d'extra d'alliage/*Alloys surcharge* *Tariff* Aciers Inoxydables de Precision/*Precision*

Applicable au 1er Septembre 2010/*Valid as of*

Norme européenne	Nuance Commerciale	AISI	€uro/KG	CHF/KG	SEK/KG	GBP/KG	USD/KG	USD/LBS
1.4571	1711MT	316TI	3,113	4,265	29,380	2,584	3,975	1,803
1.4310	177C	301	1,787	2,448	16,866	1,483	2,282	1,035
1.4310	177E	301	1,999	2,739	18,867	1,659	2,553	1,158
1.4306	1810L	304L	2,192	3,003	20,688	1,819	2,799	1,269
1.4541	1810T	321	2,192	3,003	20,688	1,819	2,799	1,269
1.4404	1811ML	316L	3,115	4,268	29,399	2,585	3,978	1,804
1.4303	1812D	305	2,641	3,618	24,926	2,192	3,373	1,530
1.4404	1812ML	316L	3,115	4,268	29,399	2,585	3,978	1,804
1.4435	1813MS	316L	3,539	4,848	33,401	2,937	4,519	2,049
1.4301	189D	304	1,956	2,680	18,461	1,623	2,498	1,133
1.4301	189DDQ	304	1,956	2,680	18,461	1,623	2,498	1,133
1.4301	189E	304	1,956	2,680	18,461	1,623	2,498	1,133
1.4307	189EL	304L	1,956	2,680	18,461	1,623	2,498	1,133
1.4307	189L	304L	1,956	2,680	18,461	1,623	2,498	1,133
1.4010	F17L	430L	0,567	0,777	5,351	0,471	0,724	0,328
1.4618	174MN	201.1	1,559	2,136	14,714	1,294	1,991	0,903
1.4462	DX2205		2,316	3,173	21,858	1,922	2,958	1,341
1.4006	MA1	410	0,479	0,656	4,521	0,398	0,612	0,278
1.4021	MA2	420	0,497	0,681	4,691	0,413	0,635	0,288
1.4028	MA3	420	0,497	0,681	4,691	0,413	0,635	0,288
1.4034	MA4		0,497	0,681	4,691	0,413	0,635	0,288
1.4828	R2012		2,606	3,570	24,595	2,163	3,328	1,509
1.4845	R2520	310S	3,839	5,259	36,232	3,186	4,902	2,223
1.4372	164MN	201	1,475	2,021	13,921	1,224	1,884	0,854
1.4526	F17MNB	436	1,182	1,619	11,156	0,981	1,509	0,684
1.4310	177A	301	1,787	2,448	16,866	1,483	2,282	1,035
1.4512	K09	409	0,461	0,632	4,351	0,383	0,589	0,267
1.4000	K10	410S	0,479	0,656	4,521	0,398	0,612	0,278
1.4016	K30	430	0,567	0,777	5,351	0,471	0,724	0,328
1.4017	K31		0,788	1,080	7,437	0,654	1,006	0,456
1.4113	K34X	434	0,874	1,197	8,249	0,725	1,116	0,506
1.4509	K41	441	0,697	0,955	6,578	0,579	0,890	0,404
1.4510	K39M	430Ti	0,578	0,792	5,455	0,480	0,738	0,335
1.4521	K44	444	1,282	1,756	12,100	1,064	1,637	0,742
1.4526	K36	436	1,182	1,619	11,156	0,981	1,509	0,684
1.4028	MA3H	420	0,497	0,681	4,691	0,413	0,635	0,288
	16-1MN		1,003	1,374	9,466	0,832	1,281	0,581

Barème d'extra d'alliage/*Alloys surcharge* *Tariff* Aciers Inoxydables de Precision/*Precision*

Applicable au 1er Octobre 2010/*Valid as of*

Norme européenne	Nuance Commerciale	AISI	€uro/KG	CHF/KG	SEK/KG	GBP/KG	USD/KG	USD/LBS
1.4571	1711MT	316TI	3,287	4,286	30,852	2,708	4,237	1,921
1.4310	177C	301	1,891	2,466	17,749	1,558	2,437	1,105
1.4310	177E	301	2,114	2,757	19,842	1,742	2,725	1,236
1.4306	1810L	304L	2,316	3,020	21,738	1,908	2,985	1,354
1.4541	1810T	321	2,316	3,020	21,738	1,908	2,985	1,354
1.4404	1811ML	316L	3,287	4,286	30,852	2,708	4,237	1,921
1.4303	1812D	305	2,787	3,634	26,159	2,296	3,592	1,629
1.4404	1812ML	316L	3,287	4,286	30,852	2,708	4,237	1,921
1.4435	1813MS	316L	3,733	4,868	35,038	3,076	4,812	2,182
1.4301	189D	304	2,066	2,694	19,391	1,702	2,663	1,208
1.4301	189DDQ	304	2,066	2,694	19,391	1,702	2,663	1,208
1.4301	189E	304	2,066	2,694	19,391	1,702	2,663	1,208
1.4307	189EL	304L	2,066	2,694	19,391	1,702	2,663	1,208
1.4307	189L	304L	2,066	2,694	19,391	1,702	2,663	1,208
1.4010	F17L	430L	0,609	0,794	5,716	0,502	0,785	0,356
1.4618	174MN	201.1	1,642	2,141	15,412	1,353	2,117	0,960
1.4462	DX2205		2,440	3,182	22,902	2,011	3,145	1,426
1.4006	MA1	410	0,521	0,679	4,890	0,429	0,672	0,305
1.4021	MA2	420	0,539	0,703	5,059	0,444	0,695	0,315
1.4028	MA3	420	0,539	0,703	5,059	0,444	0,695	0,315
1.4034	MA4		0,539	0,703	5,059	0,444	0,695	0,315
1.4828	R2012		2,748	3,583	25,793	2,264	3,542	1,606
1.4845	R2520	310S	4,039	5,267	37,910	3,328	5,206	2,361
1.4372	164MN	201	1,551	2,023	14,558	1,278	1,999	0,907
1.4526	F17MNB	436	1,252	1,633	11,751	1,032	1,614	0,732
1.4310	177A	301	1,891	2,466	17,749	1,558	2,437	1,105
1.4512	K09	409	0,504	0,657	4,731	0,415	0,650	0,295
1.4000	K10	410S	0,521	0,679	4,890	0,429	0,672	0,305
1.4016	K30	430	0,609	0,794	5,716	0,502	0,785	0,356
1.4017	K31		0,841	1,097	7,894	0,693	1,084	0,492
1.4113	K34X	434	0,932	1,215	8,748	0,768	1,201	0,545
1.4509	K41	441	0,741	0,966	6,955	0,611	0,955	0,433
1.4510	K39M	430Ti	0,621	0,810	5,829	0,512	0,800	0,363
1.4521	K44	444	1,358	1,771	12,746	1,119	1,750	0,794
1.4526	K36	436	1,252	1,633	11,751	1,032	1,614	0,732
1.4028	MA3H	420	0,539	0,703	5,059	0,444	0,695	0,315
	16-1MN		1,058	1,380	9,930	0,872	1,364	0,619

Barème d'extra d'alliage/*Alloys surcharge* *Tariff* Aciers Inoxydables de Precision/*Precision*

Applicable au 1er Novembre 2010/*Valid as of*

Norme européenne	Nuance Commerciale	AISI	€uro/KG	CHF/KG	SEK/KG	GBP/KG	USD/KG	USD/LBS
1.4571	1711MT	316TI	3,176	4,291	29,340	2,754	4,151	1,882
1.4310	177C	301	1,868	2,524	17,257	1,620	2,441	1,107
1.4310	177E	301	2,063	2,787	19,058	1,789	2,696	1,223
1.4306	1810L	304L	2,292	3,096	21,173	1,987	2,996	1,359
1.4541	1810T	321	2,291	3,095	21,164	1,986	2,994	1,358
1.4404	1811ML	316L	3,177	4,292	29,349	2,754	4,152	1,883
1.4303	1812D	305	2,764	3,734	25,534	2,396	3,613	1,638
1.4404	1812ML	316L	3,177	4,292	29,349	2,754	4,152	1,883
1.4435	1813MS	316L	3,605	4,870	33,303	3,126	4,712	2,137
1.4301	189D	304	2,042	2,759	18,864	1,770	2,669	1,210
1.4301	189DDQ	304	2,042	2,759	18,864	1,770	2,669	1,210
1.4301	189E	304	2,042	2,759	18,864	1,770	2,669	1,210
1.4307	189EL	304L	2,042	2,759	18,864	1,770	2,669	1,210
1.4307	189L	304L	2,042	2,759	18,864	1,770	2,669	1,210
1.4010	F17L	430L	0,573	0,774	5,293	0,497	0,749	0,340
1.4618	174MN	201.1	1,615	2,182	14,919	1,400	2,111	0,957
1.4462	DX2205		2,294	3,099	21,192	1,989	2,998	1,360
1.4006	MA1	410	0,495	0,669	4,573	0,429	0,647	0,293
1.4021	MA2	420	0,511	0,690	4,721	0,443	0,668	0,303
1.4028	MA3	420	0,511	0,690	4,721	0,443	0,668	0,303
1.4034	MA4		0,511	0,690	4,721	0,443	0,668	0,303
1.4828	R2012		2,725	3,681	25,174	2,363	3,562	1,615
1.4845	R2520	310S	4,015	5,424	37,091	3,481	5,248	2,380
1.4372	164MN	201	1,522	2,056	14,060	1,320	1,989	0,902
1.4526	F17MNB	436	1,168	1,578	10,790	1,013	1,527	0,692
1.4310	177A	301	1,868	2,524	17,257	1,620	2,441	1,107
1.4512	K09	409	0,479	0,647	4,425	0,415	0,626	0,284
1.4000	K10	410S	0,495	0,669	4,573	0,429	0,647	0,293
1.4016	K30	430	0,573	0,774	5,293	0,497	0,749	0,340
1.4017	K31		0,806	1,089	7,446	0,699	1,053	0,478
1.4113	K34X	434	0,855	1,155	7,898	0,741	1,117	0,507
1.4509	K41	441	0,714	0,965	6,596	0,619	0,933	0,423
1.4510	K39M	430Ti	0,583	0,788	5,386	0,505	0,762	0,346
1.4521	K44	444	1,246	1,683	11,511	1,080	1,629	0,739
1.4526	K36	436	1,168	1,578	10,790	1,013	1,527	0,692
1.4028	MA3H	420	0,511	0,690	4,721	0,443	0,668	0,303
	16-1MN		1,016	1,373	9,386	0,881	1,328	0,602

Barème d'extra d'alliage/*Alloys surcharge* *Tariff* Aciers Inoxydables de Precision/*Precision*

Applicable au 1er Décembre 2010/*Valid as of*

Norme européenne	Nuance Commerciale	AISI	€uro/KG	CHF/KG	SEK/KG	GBP/KG	USD/KG	USD/LBS
1.4571	1711MT	316TI	3,106	4,249	28,935	2,690	4,317	1,958
1.4310	177C	301	1,791	2,450	16,685	1,551	2,489	1,129
1.4310	177E	301	1,995	2,729	18,585	1,728	2,773	1,258
1.4306	1810L	304L	2,202	3,012	20,514	1,907	3,061	1,388
1.4541	1810T	321	2,201	3,011	20,505	1,906	3,059	1,387
1.4404	1811ML	316L	3,107	4,250	28,945	2,691	4,319	1,959
1.4303	1812D	305	2,659	3,638	24,771	2,303	3,696	1,676
1.4404	1812ML	316L	3,107	4,250	28,945	2,691	4,319	1,959
1.4435	1813MS	316L	3,532	4,832	32,904	3,059	4,909	2,226
1.4301	189D	304	1,961	2,683	18,269	1,698	2,726	1,236
1.4301	189DDQ	304	1,961	2,683	18,269	1,698	2,726	1,236
1.4301	189E	304	1,961	2,683	18,269	1,698	2,726	1,236
1.4307	189EL	304L	1,961	2,683	18,269	1,698	2,726	1,236
1.4307	189L	304L	1,961	2,683	18,269	1,698	2,726	1,236
1.4010	F17L	430L	0,542	0,741	5,049	0,469	0,753	0,341
1.4618	174MN	201.1	1,559	2,133	14,524	1,350	2,167	0,983
1.4462	DX2205		2,270	3,105	21,147	1,966	3,155	1,431
1.4006	MA1	410	0,462	0,632	4,304	0,400	0,642	0,291
1.4021	MA2	420	0,478	0,654	4,453	0,414	0,664	0,301
1.4028	MA3	420	0,478	0,654	4,453	0,414	0,664	0,301
1.4034	MA4		0,478	0,654	4,453	0,414	0,664	0,301
1.4828	R2012		2,621	3,586	24,417	2,270	3,643	1,652
1.4845	R2520	310S	3,870	5,294	36,053	3,351	5,379	2,439
1.4372	164MN	201	1,462	2,000	13,620	1,266	2,032	0,922
1.4526	F17MNB	436	1,144	1,565	10,658	0,991	1,590	0,721
1.4310	177A	301	1,791	2,450	16,685	1,551	2,489	1,129
1.4512	K09	409	0,447	0,611	4,164	0,387	0,621	0,282
1.4000	K10	410S	0,462	0,632	4,304	0,400	0,642	0,291
1.4016	K30	430	0,542	0,741	5,049	0,469	0,753	0,341
1.4017	K31		0,767	1,049	7,145	0,664	1,066	0,483
1.4113	K34X	434	0,838	1,146	7,807	0,726	1,165	0,528
1.4509	K41	441	0,676	0,925	6,298	0,585	0,940	0,426
1.4510	K39M	430Ti	0,553	0,757	5,152	0,479	0,769	0,349
1.4521	K44	444	1,237	1,692	11,524	1,071	1,719	0,780
1.4526	K36	436	1,144	1,565	10,658	0,991	1,590	0,721
1.4028	MA3H	420	0,478	0,654	4,453	0,414	0,664	0,301
	16-1MN		0,990	1,354	9,223	0,857	1,376	0,624